

Johnson & Johnson

OFFICE OF
GENERAL COUNSEL

ONE JOHNSON & JOHNSON PLAZA
NEW BRUNSWICK, N.J. 08933-7003

June 15, 2009

Commissioner for Patents
Washington, D.C. 20231

Dear Sir:


Re: U.S. Patent No. 7,435,452 B2
Serial No. 10/729,748
Our File: VTN0601DIV

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued to correct the error(s) as set forth in the attached form and in compliance with 37 C.F.R. § 1.322 and 37 C.F.R. § 1.323.

You are hereby authorized to charge Johnson & Johnson Deposit Account No. 10-0750/VTN0601DIV/KAH for any fees which may be due with regard to the above Certificate of Correction.

Very truly yours,



Karen A. Harding
Attorney for Assignee
Reg. No. 33,967

Attachment
One Johnson & Johnson Plaza
New Brunswick, NJ 08933-7003
(904) 443-3074

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,435,452 B2
 DATED : October 14, 2008
 INVENTOR(S) : Naoki Shimoyama, Mitsuru Yokota, Tadahiro Uemura

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In Claim 5, lines 63 and 64, kindly delete "(cm²/sec)(ml¹⁰/ml^hPa]" and insert - - (cm²/sec)[mlO₂/(ml^hPa)] - -

In Claim 8, line 8, kindly delete "aciueous" and insert - -aqueous- -

MAILING ADDRESS OF SENDER:

Karen A. Harding
 Johnson & Johnson
 One Johnson & Johnson Plaza
 New Brunswick, NJ 08933-7003

PATENT NO. 7,435,452

No. of additional copies

+

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.